Inspired

Kitchen Brochure

Our Electrolux Inspiration Cooking Range

Bring an expert into your kitchen

Electrolux

Inspir

ration

Range from Electrolux

Redefining modern living

For more than 90 years, Electrolux has been a much-loved part of homes and professional environments around the world.
From refrigerators, dishwashers, washing machines and dryers through to ovens, cooktops, barbecues, vacuum cleaners and small household appliances, our products are a testament to thoughtful technology, innovation and design.

Today our successful Design Lab and Electrolux Appetite for Excellence programmes showcase our commitment to fostering young talent and future innovations.

Now with the Electrolux Inspiration Range, you can enjoy the benefit of our professional knowledge and experience in your own home.
You take the ingredients fresh from the fridge, as though they were bought yesterday.
You switch on the Chef's secret, cooking with steam and heat together, to serve up great dishes at the touch of a button. Used pots, pans, jugs and utensils all fit into the dishwasher with ease.

Meanwhile, laundry day transforms from chore to near joy with a washer and a dryer that remember your favourite cycles, consume only what's necessary for pristine results and even offer programs that cut your ironing in half.
We've thought about all the little things, so you can get the most out of our products and more out of every day.

Come on our journey of **Inspiration**

A kitchen needs to look great too. And our stylish design options certainly won't disappoint. Bold and modern, the striking range really makes a statement, and has been designed to complement any kitchen. Add to this stunning design features on the induction cooktop and the flat cast trivets on the gas cooktops, and you have a collection that is as beautiful as it is functional.

Models shown EVEP616BB, EVEP618BB, EHI965BA, ERC928GA, EHG313BA, EVEP626BB.

Intuitive technology to satisfy every cook

Make every meal a masterpiece with our range of innovative features. Discover the joy of Intuitive Oven Interface (IOI™) on our ovens, Maxisense pan detection technology on our induction cooktops and the unrivalled performance of steam cooking, all designed just for you.

Thoughtfully designed so you can cook with confidence
A testament to style and substance, the Inspiration range has been thoughtfully designed with an array of intuitive features so you can effortlessly achieve outstanding results at home. With a sleek minimalist design, our range will complement any kitchen, you'll experience a whole new way of cooking and delicious results every time.

IOI™
At Electrolux, we're always thinking of ways to make cooking effortless. Because when cooking is easy, you enjoy the whole process that much more. So we watched how people used their ovens in real life and learnt from chefs who use programmable cooking. This allowed us to strip away complexities and confusing icons, and design a range of ovens that are so intuitive to use, you won't even need a manual. We call this IOI™, but you'll probably call it genius.

Steam cooking
Steam cooking allows you to cook every dish to perfection and get fantastic results, faster. Used in professional kitchens, this versatile cooking method preserves food's natural flavour and goodness with the power of steam and heat. Use it to bake, roast, grill and even slow cook, and produce amazing mouth-watering dishes just like a top chef.

Cooking

The Inspiration range

Built-in ovens
With the Electrolux range of 60cm and 90cm ovens, design meets function for truly incredible results. Incorporating the very best in oven technology, with high definition full colour animation, steam cooking and Pyrolytic cleaning (selected models only).

Compact and Microwave ovens
Electrolux compact ovens are beautifully designed to integrate seamlessly with the Electrolux range of kitchen appliances. Precise temperature settings, fast heat-up and the unique ability to combine steam and hot air in your cooking, will have you creating mouth-watering dishes with ease. Our Microwave ovens are designed to complete the stainless steel Inspiration cooking range.

Gas cooktops
Our Inspiration range of gas cooktops add a professional touch to your kitchen. Enjoy unrivalled adjustability and go from cooking at the highest temperature to the lowest controlled simmer. Professional levels of power ensure super fast heating, while the stable cooking surface allows you to easily move pots across the flat cast trivet surface.



Induction cooktops
Transform your kitchen into a stylish, professional cooking space with Maxisense technology - place large pots across two zones or multiple pots on a single zone. Move pots and pans across preset power settings without having to adjust the power levels with InfinitePro Chef mode while intuitive touch slide controls allow you to simply slide your finger along the glass surface to change the cooking temperature instantly. Induction cooktops provide precision control and can be easily cleaned with a simple wipe.

Rangehoods
Add the stylish finishing touch to your kitchen with an Electrolux Inspiration rangehood, offering professional levels of extraction with the power to eliminate cooking odours at conversation-friendly noise levels. Choose a fully integrated model for a sleek, minimalist look or make a bold statement with stylish touch on glass controls and LED lighting. Electrolux rangehoods are also easy to clean and maintain with dishwasher-safe removable filters.

Built-in ovens

Discover the very best in oven technology. The unique Intuitive Oven Interface (IOI™) is so stylish and easy to use, you won't even need a manual. Other benefits include steam cooking and the easy-clean Pyrolytic function.

Huge 80L gross capacity oven
Designed for the entertainer and larger families, this huge 80 litre capacity oven will make catering for every occasion quick and easy. Plus, energy use is also kept to a minimum, despite its size.

Healthier cooking with MaxiSteam
Discover the ultimate in healthy and tastier cooking with MaxiSteam. Using this 100% full steam mode captures all of the natural flavours, colours and vitamins in your food. Perfect for vegetables and seafood.

Pyrolytic self-cleaning oven
Introducing an oven that cleans itself. Pyrolytic cleaning removes the need for you to use harsh chemicals to clean your oven. Simply set the pyrolytic function, come back when it is complete and wipe away the residue (pyrolytic models only).

- **IOI™**
- **Combination steam (selected models)**
- **Pyrolytic (selected models)**
- **MaxiSteam (selected models)**
- **80L capacity**
- **Cool touch door**

IOI™ makes cooking easy
To make cooking simpler, we watched how people use their ovens in real life. We then removed the complexities and designed our ovens to be so intuitive to use, you won't even need a manual. Each function has a suggested temperature, which you can adjust. Even setting the timer is easy with an automatic count-up timer, so you know how long you have been baking. We call this IOI™.

Elegant and effective oven display
Elegant and stylish, the full colour screen displays temperature and function feedback. The high definition full colour animation clearly shows the oven's status and proves that functional design can be beautiful too. What's more, the IOI™ oven range has a full black front when powered off. Yet, with just one touch of a button, the oven display will come to life and be ready to create your next delicious meal.

Excellence with steam
Steam combined with traditional hot air cooking makes good food great. The colours are richer, the food more moist and flavoursome, and your guests more satisfied.

Cool touch door
For added safety and confidence in the kitchen, the cool touch door features an innovative cooling system with multiple glazed panels. This design minimises the amount of heat being transferred outside the oven, ensuring a cooler kitchen environment.

IOI™ Steam Pyrolytic Oven

EVEP618BB

60cm pyrolytic and steam 16 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
597 (H) x 596 (W) x 573 (D)

Features

- MaxiSteam – 100% full steam cooking
- Steam excellence – hot air with added steam
- Pyrolytic self-clean oven for professional cleanliness without the scrubbing
- In-oven catalyser for removal of unwanted odours while cooking and cleaning
- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 16 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 80L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Dead front display when unit is turned off
- Quadruple glazed cool-touch door
- Mark-resistant stainless steel
- See page 46 for included accessories

IOI™ Pyrolytic Oven

EVEP616BB

60cm pyrolytic 13 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
597 (H) x 596 (W) x 573 (D)

Features

- Pyrolytic self-clean oven for professional cleanliness without the scrubbing
- In-oven catalyser for removal of unwanted odours while cooking and cleaning
- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 13 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 80L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Dead front display when unit is turned off
- Quadruple glazed cool-touch door
- Mark-resistant stainless steel
- See page 46 for included accessories

IOI™ Multifunction Oven

EVE616BA

60cm 8 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
597 (H) x 596 (W) x 573 (D)

Features

- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 8 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 80L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Catalytic self cleaning liners
- Dead front display when unit is turned off
- Triple glazed cool-touch door
- Mark-resistant stainless steel
- See page 46 for included accessories

Knob Control Pyrolytic Oven

EVEP614BB

60cm pyrolytic 10 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
597 (H) x 596 (W) x 573 (D)

Features

- Pyrolytic self-clean oven for professional cleanliness without the scrubbing
- In-oven catalyser for removal of unwanted odours while cooking and cleaning
- Electronic knob controls
- Fully programmable timer and cook start delay
- 10 multifunctions to cater to every possible need
- Extra large 80L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Quadruple glazed cool-touch door
- Mark-resistant stainless steel
- See page 47 for included accessories

Knob Control Multifunction Oven

EVE614BA

60cm 8 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
597 (H) x 596 (W) x 573 (D)

Features

- Electronic knob controls
- Fully programmable timer and cook start delay
- 8 multifunctions to cater to every possible need
- Extra large 80L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Catalytic liners
- Triple glazed cool-touch door
- Mark-resistant stainless steel
- See page 47 for included accessories

Model shown EVE626BA.

IOI™ Pyrolytic Duo Oven

EVEP626BB

60cm 12/6 multifunction pyrolytic duo oven

Technical info

Cut-out dimensions (mm)
893 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
890 (H) x 596 (W) x 573 (D)

Features

- Pyrolytic self-clean in both oven cavities for professional cleanliness without the scrubbing
- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 12/6 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 80L + 46L capacity ovens with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Dead front display when unit is turned off
- Quadruple glazed cool-touch door
- Mark-resistant stainless steel
- See page 49 for included accessories

IOI™ Multifunction Duo Oven

EVE626BA

60cm 12/6 multifunction duo oven

Technical info

Cut-out dimensions (mm)
893 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
890 (H) x 596 (W) x 573 (D)

Features

- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 12/6 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 80L + 46L capacity ovens with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Catalytic liners
- Dead front display when unit is turned off
- Triple glazed cool-touch door
- Mark-resistant stainless steel
- See page 49 for included accessories

IOI™ Multifunction Double Oven

EVE636BA

60cm 12/12 multifunction double oven

Technical info

Cut-out dimensions (mm)
1086 (H) x 600 (W) x 581 (D)

Product dimensions (mm)
1083 (H) x 596 (W) x 573 (D)

Features

- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 12/12 multifunctions to cater to every possible need
- Suggested temperatures for each function based on input from professional kitchens
- 2 extra large 80L ovens with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Catalytic liners
- Dead front display when unit is turned off
- Triple glazed cool-touch door
- Mark-resistant stainless steel
- See page 49 for included accessories

IOI™ Multifunction Oven

EVE916BA

90cm 12 multifunction oven

Technical info

Cut-out dimensions (mm)
600 (H) x 900 (W) x 580 (D)

Product dimensions (mm)
596 (H) x 895 (W) x 572 (D)

Features

- IOI™ touch controls
- Full colour screen for temperature and function feedback
- 12 multifunctions to cater to every possible need
- Twin fan system for even heat distribution
- Split grill system for the ultimate grilling flexibility
- Suggested temperatures for each function based on input from professional kitchens
- Extra large 125L capacity with multiple shelf levels
- Telescopic runners for easy and safe access to your cooking
- Catalytic self cleaning liners
- Dead front display when unit is turned off
- Triple glazed, cool-touch, soft-close door
- Mark-resistant stainless steel
- See page 48 for included accessories

Compact and microwave ovens

Beautifully designed, the compact multifunction ovens are big on performance. With a host of standout features like precise temperature settings, fast heat-up and the ability to combine steam and hot air in your cooking, you'll create mouth-watering dishes with ease.

Save time with a favourites program
Save time and enjoy the convenience of cooking your favourite dishes with the touch of a button. Simply program in your own preferred cooking mode and you'll avoid having to re-program the oven every time you cook your chosen dish.

- **Precise temperature setting**
- **Favourites program**
- **Pre-defined programs**
- **Fast heat-up function**
- **Cool touch door on compact range**
- **Cook with steam and hot air**

Precise temperature setting
Take control of your cooking and cook every dish to perfection. With the benefit of precise temperature setting, you will always achieve the cooking results you desire.

Convenient automatic pre-defined programs
Every cook needs a hand in the kitchen. The convenient automatic pre-defined programs feature an array of recipes to help make cooking a breeze.

Cool touch door on compact range
For added safety and confidence in the kitchen, the cool touch door features an innovative door cooling system with quadruple glazed panels. The design minimises heat being transferred outside the oven, while ensuring a cooler touch oven door.

Cook with steam and hot air
The compact CombiSteam oven uses a combination of steam and hot air, a cooking method perfected by Electrolux for professionals. Cooking with steam locks in flavour and vital nutrients, while also preventing the cross-contamination of flavours.

Fast heat-up function
When you need to start cooking immediately, simply use the fast heat-up function. Guaranteed to save you time and hassle.

Smooth stylish control panel
Simple to operate and beautifully designed, the flat stylish panel with touch on glass controls is so easy to clean.

Compact Steam Oven

EVE678BA

38cm compact combination oven with grill, steam and hot air

Technical info

Flush fit cut-out dimensions (mm)
391 (H) x 600 (W) x 570 (D)

Product dimensions (mm)
388 (H) x 596 (W) x 567 (D)

Features

- 16 multifunctions
- Convection oven with grill
- A compact oven offering combination steam cooking
- Full touch controls to ensure precise setting of the temperature and functions
- Quadruple glazed door for cooler door temperatures
- Child safety device for added confidence
- Design alignment with black 60cm ovens and other compact ovens
- Full, half and quarter steam
- 'Favourite' program
- Mark-resistant stainless steel
- See page 60 for included accessories

Compact Multifunction Oven

EVE676BA

38cm compact oven with grill

Technical info

Flush fit cut-out dimensions (mm)
391 (H) x 600 (W) x 570 (D)

Product dimensions (mm)
388 (H) x 596 (W) x 567 (D)

Features

- 11 multifunctions
- Convection oven with grill
- Full touch controls to ensure precise setting of the temperature and functions
- Pre-program and save up to 20 favourite functions
- Quadruple glazed door for cooler door temperature
- Child safety device for added confidence
- Design alignment with black 60cm ovens and other compact ovens
- 'Favourite' program
- Mark-resistant stainless steel
- See page 60 for included accessories

Compact Microwave Oven

EVEM677BA

38cm compact microwave, grill and fan forced oven

Technical info

Flush fit cut-out dimensions (mm)
391 (H) x 600 (W) x 570 (D)

Product dimensions (mm)
388 (H) x 596 (W) x 567 (D)

Features

- 12 multifunctions
- 45 pre-set recipes
- Full touch controls to ensure precise setting of the temperature and functions
- Fully programmable timer
- Pre-program and save up to 20 favourite functions
- Quadruple glazed door for cooler door temperature
- Child safety device for added confidence
- Design alignment with black 60cm ovens and other compact ovens
- Mark-resistant stainless steel
- See page 60 for included accessories

Built-in Combi Microwave Oven

EMB2527BA
Built-in combination microwave oven

Technical info

Product dimensions (mm)
388 (H) x 595 (W) x 550 (D)
(with trim kit)

Features

- Built-in for seamless integration
- 7 cooking modes
- Easy touch controls
- Auto defrost
- Mark-resistant stainless steel + glass
- Full digital display
- Convection, microwave and grill
- 9 Power levels

Countertop Combi Microwave Oven

EMF2527BA

Countertop combination microwave oven

Technical info

Product dimensions (mm)
380 (H) x 560 (W) x 550 (D)

Features

- Countertop for added convenience
- 7 cooking modes
- Easy touch controls
- Auto defrost
- Mark-resistant stainless steel + glass
- Full digital display
- Convection, microwave and grill
- 9 Power levels

Gas Cooktops

Experience the ultimate kitchen companion. Our Inspiration range of gas cooktops add a stylish touch to your kitchen. Professional levels of power ensure super fast heating, while the stable cooking surface allows you to easily move pots across the flat cast trivet surface.

Innovative wok burner
Take your cooking expertise to the next level with our innovative wok burner. With professional levels of power, you will experience super fast heating and amazing results every time.

- **Innovative wok burner**
- **Versatile dual gas valve on wok burner**
- **Flame failure safety device on each burner**
- **Flat cast trivets**

Versatile dual gas valve
Experience fast heating and slow simmering from professional levels of power from 17MJ to 1MJ. The highest setting allows for rapid boiling, searing and stir-frys while the lowest lets you simmer slowly and is ideal for delicate sauces.

Convenient electronic ignition
The convenient press down and hold electronic ignition is operated by burner control knobs and alleviates the need for untidy matches and gas guns.

Flame failure safety device
For added peace of mind, the flame failure safety device shuts down the gas if the flame becomes accidentally extinguished while cooking. This gives you confidence to use your cooktop at the lowest simmer and also reduces the risk of fire.

Stability with flat cast trivets
Experience a supremely stable and stylish cooking surface with flat cast trivets. Enjoy peace of mind when cooking with a large heavy pot with the practicality of a flat surface when moving pots and pans across the cooktop.

5 Burner Gas Cooktop

EHG955SA

Stainless steel 90cm front control gas cooktop

Technical info

Cut-out dimensions (mm)
880 (W) x 490 (D)

Product dimensions (mm)
44 (H) x 895 (W) x 530 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- High durability stainless steel construction
- Electronic ignition
- Laser etched graphics
- Front control for easy access
- Wok trivet supplied

5 Burner Gas Cooktop

EHG755SA

Stainless steel 75cm front control gas cooktop

Technical info

Cut-out dimensions (mm)
730 (W) x 490 (D)

Product dimensions (mm)
44 (H) x 745 (W) x 530 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- High durability stainless steel construction
- Electronic ignition
- Laser etched graphics
- Front control for easy access
- Wok trivet supplied

5 Burner Glass Gas Cooktop

EHG953BA

Black glass 90cm side control gas cooktop

Technical info

Cut-out dimensions (mm)
830 (W) x 470 (D)

Product dimensions (mm)
55 (H) x 861 (W) x 520 (D)



Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- Toughened ceran glass for high durability
- Electronic ignition
- Side control
- Wok trivet supplied

4 Burner Gas Cooktop

EHG643BA

Black glass 60cm side control gas cooktop

Technical info

Cut-out dimensions (mm)
570 (W) x 490 (D)

Product dimensions (mm)
56 (H) x 610 (W) x 520 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- Toughened ceran glass for high durability
- Electronic ignition
- Side control
- Wok trivet supplied

5 Burner Gas Cooktop

EHG953SA

Stainless steel 90cm side control gas cooktop

Technical info

Cut-out dimensions (mm)
830 (W) x 470 (D)

Product dimensions (mm)
47 (H) x 860 (W) x 520 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- High durability stainless steel construction
- Electronic ignition
- Laser etched graphics
- Side control
- Wok trivet supplied

4 Burner Gas Cooktop

EHG643SA

Stainless steel 60cm side control gas cooktop

Technical info

Cut-out dimensions (mm)
570 (W) x 490 (D)

Product dimensions (mm)
45 (H) x 600 (W) x 520 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Metalised knobs for quality feel and control
- High durability stainless steel construction
- Electronic ignition
- Laser etched graphics
- Side control
- Wok trivet supplied

Single Glass Gas Cooktop

EHG313BA

Black glass 32cm single power burner gas cooktop

Technical info

Cut-out dimensions (mm)
303 (W) x 485 (D)

Product dimensions (mm)
56 (H) x 320 (W) x 520 (D)

Features

- Powerful 17MJ/h wok burner for rapid heating of large pots and pans
- Gentle 1MJ/h for simmering
- Dual valve control for better range of power on wok burner
- Cast trivets give a broad flat work surface for easy movement of pots and pans
- Flame failure safety device
- Toughened ceran glass for high durability
- Integrates with 60, 70 & 80cm Maxisense induction cooktops
- Electronic ignition
- Front control for easy access
- Wok trivet supplied

Ceramic and induction cooktops

Electrolux Inspiration induction cooktops enjoy premium features like Maxisense, an innovative pan detection technology and InfinitePro Chef mode, where you can move pots and pans across preset power settings without having to adjust the power levels.*

(*EHI965BA only)

Induction -
Unique halo lighting
For the ultimate design statement, stunning halo lighting around the edges of the cooktop provides a striking look, whether your cooktop is in use or not. (EHI938BA only)

Induction -
Cook like a professional with InfinitePro
Cook like a professional with InfinitePro Chef mode. With the ability to move pots and pans across preset power settings without having to adjust controls, you'll enjoy a whole new way of cooking.
(EHI965BA only)

Induction -
High performance induction technology
Have complete control with precise cooking. Cook from simmer to a boil instantly while using induction technology. Providing the ultimate in safety, induction cooking generates heat in the cookware, so the cooking surface cools much more quickly than other types of cooktops. The surface is also easy to clean, as spills can be simply wiped away.

Induction -
Pause cooking with Stop & Go
Created for those unexpected interruptions, the efficient Stop & Go function allows you to temporarily leave the cooktop on a keep-warm setting if you are called away. When you are ready to start cooking again, simply press Stop & Go, and the cooktop will return to your previous setting.

- **Unique halo lighting***
  *EHI938BA only
- **Cook like a professional with InfinitePro† Chef mode**
  †EHI965BA only
- **High performance induction technology**
  (induction only)
- **Stylish, simple touch controls**
- **Effortlessly easy to clean**
- **Pause cooking with Stop & Go**
  (induction only)



Induction: Maxisense - cooking flexibility with professional results
The Maxisense induction cooktops are developed with cooking zones which detect pan presence and location. Cookware can be placed across paired zones for a greater cooking surface*.

The optional accessory, E:Motion wok trivet, does not heat up and allows for wok cooking on your induction cooktop (EIWT01).

*Please note cooking results can vary based on type of cookware and method of cooking.

Ceramic - Stylish, simple touch controls
Designed for style and ease of use, the simple touch controls make it easy to control the heat and allow you to concentrate on preparing the perfect meal.

Ceramic - Effortlessly easy to clean
The smooth and stylish black ceramic surface is tough and durable, yet also easy to maintain. A simple wipe and you're done. Plus, as it is a completely flat surface, cooking space is maximised.

Ceramic - Innovative triple zone cooktop
Enjoy supreme flexibility and control with every dish you create. Of the four cooking positions, one element is a triple zone hotplate, which gives you the flexibility of three variable hotplates in one.

InfinitePro Induction Cooktop

EHI965BA

90cm 6 zone Maxisense induction cooktop with Chef mode

Technical info

Cut-out dimensions (mm)
880 (W) x 490 (D)

Product dimensions (mm)
55 (H) x 910 (W) x 520 (D)

Features

- Chef mode which enables bridging of the 6 zones into 3 MaxiZones at preset temperatures
- 14 stage touch and slide controls for accuracy and ease
- Power boost function for maximum power and speed when required
- Stop & Go function
- Timer and minute minder for controlled cooking
- Front control for easy access
- 6 x 2300W zones with boost up to 3200W
- Auto pot detection
- Residual heat indicators
- Auto warm-up function
- Optional accessory - E:Motion Wok Trivet - EIWT01

3 Zone Maxisense Halo Cooktop

EHI938BA

90cm 3 zone inline Maxisense induction cooktop with Halo lighting and zone flexibility

Technical info

Cut-out dimensions (mm)
892 (W) x 392 (D)

Product dimensions (mm)
55 (H) x 914 (W) x 414 (D)

Features

- Halo ambient lighting system for the ultimate design statement
- 3 inline Maxisense zones offering multi-pot and zone flexibility
- 14 stage touch and slide controls for accuracy and ease
- Power boost function for maximum power and speed when required
- Stop & Go function
- Timer for controlled cooking
- Front control for easy access
- 3 x 2300W zone with boost up to 3200W
- Auto pot detection
- Optional accessory - E:Motion Wok Trivet - EIWT01

3 Zone Maxisense Cooktop

EHI935BA

90cm 3 zone inline Maxisense induction cooktop with zone flexibility

Technical info

Cut-out dimensions (mm)
880 (W) x 380 (D)

Product dimensions (mm)
55 (H) x 910 (W) x 410 (D)

Features

- 3 inline Maxisense zones offering multi-pot and zone flexibility
- 14 stage touch and slide controls for accuracy and ease
- Power boost function for maximum power and speed when required
- Stop & Go function
- Timer and minute minder for controlled cooking
- Front control for easy access
- 3 x 2300W zone with boost up to 3200W
- Auto pot detection
- Residual heat indicators
- Auto warm-up function
- Optional accessory - E:Motion Wok Trivet - EIWT01

4 Zone Maxisense Cooktop

EHI845BA

80cm 4 zone Maxisense induction cooktop with zone flexibility

Technical info

Cut-out dimensions (mm)
750 (W) x 490 (H)

Product dimensions (mm)
55 (H) x 780 (W) x 520 (D)

Features

- 4 Maxisense zones offering multi-pot and zone flexibility
- Spacious cooking surface
- 14 stage touch and slide controls for accuracy and ease
- Power boost function for maximum power and speed when required
- Stop & Go function
- Timer and minute minder for controlled cooking
- Front control for easy access
- 4 x 2300W zones capable of boost up to 3200W
- Auto pot detection
- Residual heat indicators
- Auto warm-up function
- Optional accessory - E:Motion Wok Trivet - EIWT01

4 Zone Maxisense Cooktop

EHI645BA

60cm 4 zone Maxisense induction cooktop with zone flexibility

Technical info

Cut-out dimensions (mm)
560 (W) x 490 (H)

Product dimensions (mm)
55 (H) x 590 (W) x 520 (D)



Features

- 4 Maxisense zones offering multi-pot and zone flexibility
- 14 stage touch and slide controls for accuracy and ease
- Power boost function for maximum power and speed when required
- Stop & Go function
- Timer and minute minder for controlled cooking
- 4 x 2300W zones capable of boost up to 3200W
- Front control for easy access
- Auto pot detection
- Residual heat indicators
- Auto warm-up function
- Optional accessory - E:Motion Wok Trivet - EIWT01

4 Zone Ceramic Cooktop

EHC944BA

90cm 4 zone ceran cooktop with touch controls

Technical info

Cut-out dimensions (mm)
880 (W) x 490 (H)

Product dimensions (mm)
55 (H) x 900 (W) x 520 (D)

Features

- 4 cooking zones including 1 triple cooking zone for extra versatility
- Touch controls
- Sleek frameless design
- Black ceramic glass
- Safety child lock
- Front control for easy access

4 Zone Ceramic Cooktop

EHC644BA

60cm 4 zone electric cooktop with touch controls

Technical info

Cut-out dimensions (mm)
560 (W) x 490 (H)

Product dimensions (mm)
55 (H) x 590 (W) x 520 (D)

Features

- 4 cooking zones including 1 triple cooking zone for extra versatility
- Touch controls
- Sleek frameless design
- Black ceramic glass
- Safety child lock
- Front control for easy access

Rangehoods

With a streamlined design, the Inspiration rangehoods offer professional levels of extraction with the power to eliminate cooking odours and improve air quality, while keeping noise to a minimum. Choose a sleek, fully integrated model or make a statement with stylish touch on glass controls and halogen lighting.

Stylish touch controls
Providing the ultimate control with a sleek and stylish design, choose from either touch on stainless steel or touch on glass controls.



Improved air quality
Inspired by the demands of professional kitchens, our Inspiration rangehoods quietly and efficiently remove cooking odours, smoke and steam. Air quality is also improved, so you enjoy maximum freshness.

- **Stylish touch controls**
- **Professional levels of extraction**
- **Low noise levels**
- **Improved air quality**
- **Easy to clean and maintain**

Professional levels of extraction
Remove smoke and steam quickly and efficiently from your kitchen. Enjoy professional levels of extraction with our highest performance rangehoods, which draw up to 2000m^3/h.

Beautifully designed
Created with sleek lines and a stunning aesthetic, the range has been carefully designed so that each appliance looks individually stunning, yet also fits beautifully together.

Low noise levels
Keep the noise down and your productivity up. With conversation-friendly noise levels even at maximum power, you will enjoy the perfect environment for entertaining.

Easy to clean and maintain
Cleaning needn't be a chore. And with our Inspiration rangehoods, it isn't. Designed to be easy to clean, simply put the removable filters into the dishwasher.

ProLine Canopy Rangehood

ERHC1238S

120cm indoor/outdoor canopy rangehood

Technical info

Duct diameter (mm)
200

Product dimensions (mm)
415 (H) x 1195 (W) x 580 (D)

Features

- 316 Marine grade stainless steel construction for use indoors and outdoors
- Elegant electronic touch controls
- Dishwasher safe filters
- Professional levels of extraction with 2000m³/hr
- Halogen lighting for effective illumination of the cooking or barbecuing area
- 2 x motors/fans
- 3 speeds plus boost to cater to your needs
- 65 dB(A) maximum

ProLine Canopy Rangehood

ERHC938S

90cm indoor/outdoor canopy rangehood

Technical info

Duct diameter (mm)
200

Product dimensions (mm)
415 (H) x 895 (W) x 580 (D)

Features

- 316 Marine grade stainless steel construction for use indoors and outdoors
- Elegant electronic touch controls
- Dishwasher safe filters
- Professional levels of extraction with 1200m³/hr
- Halogen lighting for effective illumination of the cooking or barbecuing area
- 1 x motor/fan
- 3 speeds plus boost to cater to your needs
- 62 dB(A) maximum

Canopy Rangehood

ERC926BA

90cm slimline touch control canopy rangehood

Technical info

Duct diameter (mm)
200

Product dimensions (mm)
38 (H) x 895 (W) x 500 (D)

Features

- Stylish combination of stainless steel and black ‘Touch on’ glass controls
- Backlit controls for easy use
- Dishwasher safe filters
- Low energy, high performance dimmable LED strip lighting
- 3 speeds plus Boost
- Maximum 1000m³/h extraction
- Filter saturation sensor
- Low noise levels during operation
- 68 dB(A) maximum

Glass Canopy Rangehood

ERC928GA

90cm curved glass canopy rangehood

Technical info

Duct diameter (mm)
200

Product dimensions (mm)
44 (H) x 900 (W) x 500 (D)

Features

- Stylish ‘touch on’ black glass controls
- Architectural curved glass design
- Dishwasher safe filter
- Low energy, high performance dimmable LED strip lighting
- 3 speeds plus Boost
- Maximum 1000m³/h extraction
- Filter saturation sensor
- Low noise levels during operation
- 68 dB(A) maximum

Canopy Rangehood

ERCE9025BA

90cm touch control canopy rangehood

Technical info

Duct diameter (mm)
150

Product dimensions (mm)
55 (H) x 900 (W) x 500 (D)

Features

- Stylish combination of stainless steel and black 'Touch on' glass controls
- Backlit controls for easy use
- Dishwasher safe filters
- Halogen lighting
- 3 speeds to cater to your needs
- Maximum 630m³/h extraction
- Filter saturation sensor
- 62 dB(A) maximum

Under-cupboard Rangehood

EFG540G/A

55cm wide integrated rangehood

Technical info

Duct diameter (mm)
120

Product dimensions (mm)
150 (H) x 524 (W) x 289 (D)

Features

- Options for ducted or re-circulated installation
- Maximum 360m³/h extraction
- Dishwasher safe filter
- 2 x 3 speed fans
- 67dB(A) maximum
- Slide switch controls
- 2 x 40w incandescent lights

Under-cupboard Rangehood

EFG750X/A

75cm wide integrated rangehood

Technical info

Duct diameter (mm)
150

Product dimensions (mm)
307 (H) x 702 (W) x 284 (D)

Features

- Suitable for use above 600-750mm cooktops
- Options for ducted or re-circulated installation
- Maximum 530m³/h extraction
- Dishwasher safe filters
- 2 x 3 speed fans
- 68dB(A) maximum
- Slide switch controls
- 2 x 40w incandescent lights

Slide-out Rangehood

EFP6500X/A

60cm wide slide out rangehood

Technical info

Duct diameter (mm)
125

Product dimensions (mm)
175 (H) x 598 (W) x 300 (D)

Features

- Slide out design to offer greater catchment area when in use and slimline look when not in use
- Options for ducted or re-circulated installation
- Maximum 390m³/h extraction
- Dishwasher safe filters
- 3 speed fan
- 67dB(A) maximum
- Slide controls
- 2 x 40 watt incandescent lights

Slide-out Rangehood

EFP9500X/A

90cm wide slide out rangehood

Technical info

Duct diameter (mm)
125

Product dimensions (mm)
175 (H) x 898 (W) x 300 (D)

Features

- Slide out design to offer greater catchment area when in use and slimline look when not in use
- Suitable for use above 750-900mm cooktops
- Options for ducted or re-circulated installation
- Maximum 390m³/h extraction
- Dishwasher safe filters
- 3 speed fan
- 67dB(A) maximum
- Slide controls
- 2 x 40 watt incandescent lights

Built-in Ovens

	EVEP618BB IOI™ Steam Pyrolytic Oven	**EVEP616BB** IOI™ Pyrolytic Oven	**EVE616BA** IOI™ Multifunction Oven
main features			
type	single - pyro & hot steam	single pyro	single
oven fuel	electric	electric	electric
gross capacity – litres	80L	80L	80L
usable (net) capacity – litres	72L	72L	72L
materials/colour	black glass and mark-resistant stainless steel	black glass and mark-resistant stainless steel	black glass and mark-resistant stainless steel
controls	electronic touch	electronic touch	electronic touch
intuitive oven interface (IOI™)	■	■	■
door panes	4	4	3
pyrolytic cleaning	3 levels	3 levels	
lights	1	1	3
catalytic liners (rear/top/sides)			rear/top/sides
max power rating	3.5kW	3.1kW	3.1kW
oven functions			
number of functions	16	13	8
rapid heat-up	■	■	■
fan cooking	■	■	■
fan assist bake	■	■	
traditional bake	■	■	■
fan grill	■	■	■
pastry	■	■	■
roast	■	■	
pizza	■	■	
cook from frozen	■	■	■
keep warm	■	■	
half grill	■	■	■
full grill	■	■	■
defrost	■	■	■
steam cooking	■		
bread baking	■		
steam reheat	■		
included accessories			
shelves	2	2	2
anti-spatter grill insert	■	■	■
roasting dish	■	■	■
baking tray	■	■	■
roasting rack	■	■	■
telescopic slides	2	2	2
dimensions			
cut-out dimensions (mm)	600 (H) x 600 (W) x 581 (D)	600 (H) x 600 (W) x 581 (D)	600 (H) x 600 (W) x 581 (D)
product dimensions (mm)	597 (H) x 596 (W) x 573 (D)	597 (H) x 596 (W) x 573 (D)	597 (H) x 596 (W) x 573 (D)

Built-in Ovens

EVEP614BB
Knob Control Pyrolytic Oven

EVE614BA
Knob Control Multifunction Oven

main features		
type	single pyro	single
oven fuel	electric	electric
gross capacity – litres	80L	80L
usable (net) capacity – litres	72L	72L
materials/colour	black glass and mark-resistant stainless steel	black glass and mark-resistant stainless steel
controls	electronic knob	electronic knob
intuitive oven interface (IOI™)		
door panes	4	3
pyrolytic cleaning	2 levels	
lights	1	3
catalytic liners (rear/top/sides)		rear/top/sides
max power rating	3.1kW	3.1kW
oven functions		
number of functions	10	8
rapid heat-up	■	■
fan cooking	■	■
fan assist bake		
traditional bake	■	■
fan grill	■	■
pastry	■	■
roast		
pizza	■	
cook from frozen		
keep warm		
half grill	■	■
full grill	■	■
defrost	■	■
steam cooking		
bread baking		
steam reheat		
included accessories		
shelves	2	2
anti-spatter grill insert	■	■
roasting dish	■	■
baking tray	■	■
roasting rack	■	■
telescopic slides	2	2
dimensions		
cut-out dimensions (mm)	600 (H) x 600 (W) x 581 (D)	600 (H) x 600 (W) x 581 (D)
product dimensions (mm)	597 (H) x 596 (W) x 573 (D)	597 (H) x 596 (W) x 573 (D)

Built-in Ovens

	EVE626BA IOI™ Multifunction Duo Oven		**EVEP626BB** IOI™ Pyrolytic Duo Oven		**EVE636BA** IOI™ Multifunction Double Oven	
main features						
type	duo		duo		double	
oven fuel	electric		electric		electric	
main oven capacity (gross/net)	80L/72L		80L/72L		80L/72L	
second oven capacity (gross/net)	46L/38L		46L/38L		80L/72L	
materials/colour	black glass and mark-resistant stainless steel		black glass and mark-resistant stainless steel		black glass and mark-resistant stainless steel	
controls	electronic touch		electronic touch		electronic touch	
intuitive oven interface (IOI™)	■		■		■	
door panes	3		4		3	
pyrolytic cleaning			3 levels, both oven cavities			
lights	3 (top) / 1 (bottom)		1 (top) / 1 (bottom)		3 (top) / 3 (bottom)	
main oven catalytic liners (rear/top/sides)	rear/top/sides				rear/top/sides	
second oven catalytic liners (rear/top/sides)	rear/sides				rear/top/sides	
max power rating	5.3kW		5.3kW		6.2kW	
rapid heat up						
oven functions	main oven	2nd oven	main oven	2nd oven	main oven	2nd oven
number of functions	12	6	12	6	12	12
fan cooking	■		■		■	■
fan assist bake	■	■	■	■	■	■
traditional bake	■	■	■	■	■	■
fan grill	■		■		■	■
pastry	■	■	■	■	■	■
roast	■		■		■	■
pizza	■		■		■	■
cook from frozen	■		■		■	■
keep warm	■	■	■	■	■	■
half grill	■	■	■	■	■	■
full grill	■	■	■	■	■	■
defrost	■		■		■	■
included accessories						
shelves	2	1	2	1	2	2
anti-spatter grill insert	■	■	■	■	■	■
roasting dish	■		■		■	■
baking tray	■	■	■	■	■	■
roasting rack	■		■		■	■
telescopic slides	2	1	2	1	2	2
dimensions						
cut-out dimensions (mm)	893 (H) x 600 (W) x 581 (D)		893 (H) x 600 (W) x 581 (D)		1086 (H) x 600 (W) x 581 (D)	
product dimensions (mm)	890 (H) x 596 (W) x 573 (D)		890 (H) x 596 (W) x 573 (D)		1083 (H) x 596 (W) x 573 (D)	

Built-in Ovens

EVE916BA
90cm IOI™ Multifunction Oven

main features	
type	single
oven fuel	electric
main oven capacity (gross/net)	125L/116L
second oven capacity (gross/net)	N/A
materials/colour	black glass and mark-resistant stainless steel
controls	electronic touch
intuitive oven interface (IOI™)	■
door panes	3
pyrolytic cleaning	
lights	2
main oven catalytic liners (rear/top/sides)	rear/sides
second oven catalytic liners (rear/top/sides)	N/A
max power rating	6kW
rapid heat up	■
split grill system	■
twin fan system	■
soft close door	■
oven functions	
number of functions	12
fan cooking	■
fan assist bake	■
traditional bake	■
fan grill	■
pastry	■
roast	■
pizza	■
cook from frozen	■
keep warm	■
half grill	■
full grill	■
defrost	■
included accessories	
shelves	2
telescopic slides	3
grill insert	2
grill dish	2
grill dish support rack	1
dimensions	
cut-out dimensions (mm)	600 (H) x 900 (W) x 580 (D)
product dimensions (mm)	596 (H) x 895 (W) x 572 (D)

38cm Compacts

	EVE678BA Compact Steam Oven	**EVE676BA** Compact Multifunction Oven	**EVEM677BA** Compact Microwave Oven
main features			
oven type	38cm combi steam	38cm compact	38cm combi microwave
gross/net capacity	38L/36L	38L /36L	38L/36L
materials/colour	black glass and mark-resistant stainless steel	black glass and mark-resistant stainless steel	black glass and mark-resistant stainless steel
light	■	■	■
fast heat up	■	■	■
oven functions			
cooking functions	16	11	12
true fan cooking	■	■	■
slow cooking	■	■	■
grill	■	■	■
turbo grilling	■	■	■
microwave			■
moist fan baking	■		
steam reheating	■		
quarter steam + heat	■		
half steam + heat	■		
full steam	■		
browning/au gratin	■	■	■
defrost	■	■	■
dough proving	■	■	■
drying		■	■
keep warm	■	■	■
plate warming	■	■	■
preserving	■	■	■
bread baking (steam)	■		
included accessories			
telescopic slides			
recipe book	■	■	■
glass tray			■
cake tray	■	■	■
cleaning sponge	■		
glass dishes with perforated trays	2		
dimensions			
flush-fit cut-out dimensions (mm)	391 (H) x 600 (W) x 570 (D)	391 (H) x 600 (W) x 570 (D)	391 (H) x 600 (W) x 570 (D)
product dimensions (mm)	388 (H) x 596 (W) x 567 (D)	388 (H) x 596 (W) x 567 (D)	388 (H) x 596 (W) x 567 (D)

Microwave Ovens

EMB2527BA
Built-in Combi Microwave Oven
- black with stainless steel trim

EMF2527BA
Countertop Combi Microwave Oven
- black with stainless steel trim

model		
installation	built-in	countertop
capacity	mid-sized	mid-sized
materials	black glass + mark-resistant stainless steel	black glass + mark-resistant stainless steel
controls	full touch control	full touch control
LED display	■	■
features		
convection	■	■
grill	■	■
microwave	■	■
cooking modes	7	7
quick start	■	■
variable power level	■	■
auto cook	■	■
auto defrost	■	■
auto reheat	■	■
power		
voltage	230-240V / 50Hz	230-240V / 50Hz
maximum current rating	10 Amp	10 Amp
connection	cord and plug	cord and plug
microwave power	900W	900W
grill power	1100W	1100W
convection power	2500W	2500W
dimensions		
(h x w x d) mm	396 x 600 x 550 (including trim kit)	306 x 513 x 473 (including door)

Gas Cooktops



	EHG955SA 90cm 5 Burner Gas Cooktop	**EHG755SA** 75cm 5 Burner Gas Cooktop	**EHG953BA** 90cm 5 Burner Glass Gas Cooktop
model			
colour/finish	stainless steel	stainless steel	toughened ceran glass
flame failure safety device	■	■	■
laser etched indicators	■	■	
wok support	■	■	■
cast iron trivets	■	■	■
features			
dual valve	■	■	■
under knob ignition	■	■	■
side knob control			■
front knob control	■	■	
burners	5	5	5
wok (MJ/h LP/NG)	17.0 / 17.0	17.0 / 17.0	17.0 / 17.0
small	4.2 / 5.1	4.2 / 5.1	4.2 / 5.1
medium	6.5 / 9.0 (x2)	6.5 / 9.0 (x2)	6.5 / 9.0 (x2)
large	10.7 / 12.1	10.7 / 12.1	10.7 / 12.1
maximum gas rating (MJ/h)	52.2	52.2	52.2
dimensions			
cut-out dimensions (mm)	880 (W) x 490 (D)	730 (W) x 490 (D)	830 (W) x 470 (D)
product dimensions (mm)	44 (H) x 895 (W) x 530 (D)	44 (H) x 745 (W) x 530 (D)	55 (H) x 861 (W) x 520 (D)

	EHG643BA 60cm 4 Burner Gas Cooktop - black	**EHG953SA** 90cm 5 Burner Gas Cooktop - stainless steel	**EHG643SA** 60cm 4 Burner Gas Cooktop - stainless steel	**EHG313BA** 30cm Single Glass Gas Cooktop - black
main features				
colour/finish	toughened ceran glass	stainless steel	stainless steel	toughened ceran glass
flame failure safety device	■	■	■	■
laser etched indicators		■	■	
wok support	■	■	■	■
cast iron trivets	■	■	■	■
features				
dual valve	■	■	■	■
under knob ignition	■	■	■	■
side knob control	■	■	■	
front knob control				■
burners	4	5	4	1
wok (MJ/h LP/NG)	17.0 / 17.0	17.0 / 17.0	17.0 / 17.0	17.0/17.0
small	4.2 / 5.1	4.2 / 5.1	4.2 / 5.1	
medium	6.5 / 9.0	6.5 / 9.0 (x2)	6.5 / 9.0	
large	10.7 / 12.1	10.7 / 12.1	10.7 / 12.1	
maximum gas rating (MJ/h)	43.2	52.2	43.2	17
dimensions				
cut-out dimensions (mm)	570 (W) x 490 (D)	830 (W) x 470 (D)	570 (W) x 490 (D)	303 (W) x 485 (D)
product dimensions (mm)	56 (H) x 610 (W) x 520 (D)	47 (H) x 860 (W) x 520 (D)	45 (H) x 600 (W) x 520 (D)	56 (H) x 320 (W) x 520 (D)

Induction Cooktops

EHI965BA
90cm InfinitePro Induction Cooktop

EHI938BA
90cm 3 Zone Maxisense Cooktop with Halo lighting

EHI935BA
90cm 3 Zone Maxisense Cooktop

model			
energy/heat source	electric/induction	electric/induction	electric/induction
colour	black glass	black glass	black glass
controls	14 stage touch slide control	14 stage touch slide control	14 stage touch slide control
features			
halo ambient lighting system		■	
pot sensor	■	■	■
power boost	■	■	■
timer	■	■	■
auto warm up	■	■	■
hot surface indicator	■	■	■
keep warm	■	■	■
child lock	■	■	■
auto off	■	■	■
stop & go	■	■	■
chef mode	■	■	
number of cooking zones	6	3	3
front left (min-max)	2300w / 3200w	2300w / 3200w	2300w / 3200w
front right (min-max)	2300w / 3200w	2300w / 3200w	2300w / 3200w
front centre (min-max)	2300w / 3200w	2300w / 3200w	2300w / 3200w
rear left (min-max)	2300w / 3200w		
rear right (min-max)	2300w / 3200w		
rear centre (min-max)	2300w / 3200w		
maximum power rating	11kW	6.9kW	6.9kW
optional accessories		**optional accessories**	
E:motion chromed aluminium wok trivet	EIWT01	EIWT01	EIWT01
dimensions			
cut-out dimensions (mm)	880 (W) x 490 (D)	892 (W) x 392 (D)	880 (W) x 380 (D)
product dimensions (mm)	55 (H) x 910 (W) x 520 (D)	55 (H) x 914 (W) x 414 (D)	55 (H) x 910 (W) x 410 (D)

Induction Cooktops

	EHI845BA 80cm 4 Zone Maxisense Cooktop	**EHI645BA** 60cm 4 Zone Maxisense Cooktop
model		
energy/heat source	electric/induction	electric/induction
colour	black glass	black glass
controls	14 stage touch slide control	14 stage touch slide control
features		
pot sensor	■	■
power boost	■	■
timer	■	■
auto warm up	■	■
hot surface indicator	■	■
keep warm	■	■
child lock	■	■
auto off	■	■
stop & go	■	■
chef mode		
number of cooking zones	4	4
front left (min-max)	2300w / 3200w	2300w / 3200w
front right (min-max)	2300w / 3200w	2300w / 3200w
front centre (min-max)		
rear left (min-max)	2300w / 3200w	2300w / 3200w
rear right (min-max)	2300w / 3200w	2300w / 3200w
rear centre (min-max)		
maximum power rating	7.4kW	7.4kW
optional accessories		
E:motion chromed aluminium wok trivet	EIWT01	EIWT01
dimensions		
cut-out dimensions (mm)	750 (W) x 490 (H)	560 (W) x 490 (H)
product dimensions (mm)	55 (H) x 780 (W) x 520 (D)	55 (H) x 590 (W) x 520 (D)

Ceramic Cooktops

EHC644BA
60cm Ceramic Glass

EHC944BA
90cm Ceramic Glass

features		
colour/finish	black/ceramic glass	black/ceramic glass
control	9 stage touch	9 stage touch
timer	■	■
auto warm up	■	■
hot surface indicator	■	■
keep warm	■	■
child lock	■	■
auto off	■	■
cooking zones	4	4
triple ring zone	■	■
front left	800 / 1600 / 2300W	800 / 1600 / 2300W
front right	1200W	1200W
rear left	1200W	1200W
rear right	1800W	1800W
maximum power rating	6.5kW	6.5kW
dimensions		
cut-out dimensions (mm)	560 (W) x 490 (H)	880 (W) x 490 (H)
product dimensions (mm)	55 (H) x 590 (W) x 520 (D)	55 (H) x 900 (W) x 520 (D)

Rangehoods

ERHC1238S
120cm Indoor/Outdoor

ERHC938S
90cm Indoor/Outdoor

ERC926BA
90cm Slimline Canopy

features			
installation/rangehood style	indoor/outdoor rangehood	indoor/outdoor rangehood	wall mounted canopy
colour/finish	stainless steel	stainless steel	stainless steel/black glass
max. air flow	2000m3/hr	1200m^3/hr	1000m^3/hr
filters	4	3	3
fan speeds	4	4	4
lights	halogen (x 4)	halogen (x 3)	dimmer-controlled LED
controls	electronic - touch on stainless	electronic - touch on stainless	electronic touch on glass controls
centrifugal fan	2	1	1
recirculating option			■
optional carbon filters			■
noise level dB(A) (maximum)	65	62	68
electrical supply required	240V/50Hz	240V/50Hz	240V/50Hz
dishwasher safe filters	■	■	■
dimensions			
duct diameter (mm)	200	200	200
product dimensions (mm)	415 (H) x 1195 (W) x 580 (D)	415 (H) x 895 (W) x 580 (D)	38 (H) x 895 (W) x 500 (D)

Rangehoods

ERC928GA
90cm Wall Mounted Canopy

ERCE9025BA
90cm Wall Mounted Canopy

features		
installation/rangehood style	wall mounted canopy	wall mounted canopy
colour/finish	stainless steel/black glass	stainless steel/black glass
max. air flow	1000m³/hr	630m³/hr
filters	1	3
fan speeds	4	3
lights	dimmer-controlled LED	halogen (x 2)
controls	electronic touch on glass controls	electronic touch
centrifugal fan	1	1
recirculating option	■	■
optional carbon filters	■	■
noise level dB(A) (maximum)	68	62
electrical supply required	240V/50Hz	240V/50Hz
dishwasher safe filters	■	■
dimensions		
duct diameter (mm)	200	150
product dimensions (mm)	44 (H) x 900 (W) x 500 (D)	55 (H) x 900 (W) x 500 (D)

EFG750X/A
75cm Integrated Rangehood

EFG540G/A
55cm Integrated Rangehood

EFP9500X/A
90cm Slide-out Rangehood

EFP6500X/A
60cm Slide-out Rangehood

features				
installation/rangehood style	integrated	integrated	slide-out	slide-out
colour/finish	stainless steel	stainless steel	stainless steel	stainless steel
max. air flow	530m3/hr	360m³/hr	390m³/hr	390m³/hr
filters	2	2	4	2
fan speeds	3	2/3	3	3
lights	incandescent (x 2)	incandescent (x 2)	incandescent (x 2)	incandescent (x 2)
controls	slide switch	slide switch	slide controls	slide controls
recirculating option	■	■	■	■
noise level dB(A) (maximum)	67	67	67	67
electrical supply required	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
dishwasher safe filters	■	■	■	■
dimensions				
duct diameter (mm)	150	120	125	125
product dimensions (mm)	307 (H) x 702 (W) x 284 (D)	150 (H) x 524 (W) x 289 (D)	175 (H) x 898 (W) x 300 (D)	175 (H) x 598 (W) x 300 (D)

Models shown EVE614BA & ERC926BA.

Built-in ovens

underbench

EVE614BA
EVE616BA

Cut-out dimensions

Type of fit	A (width)	B (height)	C (depth)
Flush fit (mm)	600	600	581 min.
Proud fit (mm)	568	590	560 min.



EVEP614BB
EVEP616BB
EVEP618BB

Pyrolytic underbench cut-out dimensions

Type of fit	A (width)	B (height)	C (depth)	D*
Flush fit (mm)	600	600	581 min.	20



Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Note: Dimension 'D*'
For proper ventilation there must be a gap at the bottom rear of the cabinet. This can be a slot 20mm deep or an equivalent, full width opening (e.g. a series of holes) with a min area of 120cm^2. The opening must be clear of the product when fully installed. This is a requirement any EVEPxxxxx model.
Powerpoint connection for the EVEP615SA and EVEP618BA must be accessible with the appliance fully installed. If the supply cord is damaged it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Built-in ovens
90cm underbench

EVE916BA

90cm Built-in oven dimensions

Type of fit	A (width)	B (height)	C (depth)
Flush fit (mm)	900	600	580 min.
Proud fit (mm)	868	590	560 min.



Built-in ovens
wall

EVE626BA
EVEP626BB

Duo oven Cut-out dimensions

Type of fit	A (width)	B (height)	C (depth)	D*
Flush fit (mm)	600	893	581 min.	20



Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Built-in ovens

wall

EVE636BA

Double oven Cut-out dimensions

Type of fit	A (width)	B (height)	C (depth)
Flush fit (mm)	600	1086	581 min.
Proud fit (mm)	568	1078	560 min.



Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Compacts
wall

EVE678BA
EVE676BA
EVEM677BA



Dimensions

Type of fit	width	height	depth
Flush fit (mm)	600	391	570 min.
Product (mm)	596	388	567 min.

built-in microwave
wall

EMB2527BA



Dimensions

Type of fit	width	height	depth
Flush fit (mm)	600	396	550 min.
Product (with trim kit)	600	380	550 min.





Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Gas cooktops

EHG955SA



Dimensions

	width	height	depth
Cut-out (mm)	880		490
Product (mm)	895	44	530

EHG755SA



Dimensions

	width	height	depth
Cut-out (mm)	730		490
Product (mm)	745	44	530

*To combustible surface (dimension is not relevant if the adjacent surface is non-combustible).

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

EHG953BA

Dimensions

	width	height	depth
Cut-out (mm)	830		470
Product (mm)	861	55	520



*To combustible surface (dimension is not relevant if the adjacent surface is non-combustible).

EHG643BA

Dimensions

	width	height	depth
Cut-out (mm)	570		490
Product (mm)	610	56	520



Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Gas cooktops

EHG313BA

Dimensions

	width	height	depth
Cut-out (mm)	303		485
Product (mm)	320	56	520



*To combustible surface (dimension is not relevant if the adjacent surface is non-combustible).

EHG953SA

Dimensions

	width	height	depth
Cut-out (mm)	830		470
Product (mm)	860	47	520



Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Gas cooktops

EHG643SA

Dimensions

	width	height	depth
Cut-out (mm)	570		490
Product (mm)	600	45	520



*To combustible surface (dimension is not relevant if the adjacent surface is non-combustible).

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Induction cooktops

EHI965BA

Dimensions

	width	height	depth
Cut-out (mm)	880		490
Product (mm)	910	55	520





EHI938BA

Dimensions

	width	height	depth
Cut-out (mm)	892		392
Product (mm)	914	55	414





EHI935BA

Dimensions

	width	height	depth
Cut-out (mm)	880		380
Product (mm)	910	55	410





*Unless specified in rangehood installation details.

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Induction cooktops

EHI845BA



Dimensions

	width	height	depth
Cut-out (mm)	750		490
Product (mm)	780	55	520



EHI645BA



Dimensions

	width	height	depth
Cut-out (mm)	560		490
Product (mm)	590	55	520



*Unless specified in rangehood installation details.

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Ceramic cooktops

EHC944BA



Dimensions

	width	height	depth
Cut-out (mm)	880		490
Product (mm)	900	55	520



EHC644BA



Dimensions

	width	height	depth
Cut-out (mm)	560		490
Product (mm)	590	55	520



*Unless specified in rangehood installation details.

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Rangehoods

ERHC938S*



Dimensions

	width	height	depth
Duct diameter	200		
Product (mm)	895	415	580

*Australian Standard AS/NZS 5601.1:2013 requires all rangehoods used in a barbecue installation to have 1,200 mm clearance from the cooking surface to the grease filters.

ERHC1238S



Dimensions

	width	height	depth
Duct diameter	200		
Product (mm)	1195	415	580

*Australian Standard AS/NZS 5601.1:2013 requires all rangehoods used in a barbecue installation to have 1,200 mm clearance from the cooking surface to the grease filters.

ERC925SA
ERC926BA



Dimensions

	width	height	depth
Duct diameter	200		
Product (mm)	895	38	500

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Rangehoods

ERC928GA



Dimensions

	width	height	depth
Duct diameter	200		
Product (mm)	900	44	500

ERCE9025BA



Dimensions

	width	height	depth
Duct diameter	150		
Product (mm)	900	55	500

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Rangehoods

EFG750X/A



Dimensions

	width	height	depth
Duct diameter	150		
Product (mm)	702	307	284

EFG540G/A



Dimensions

	width	height	depth
Duct diameter	150		
Product (mm)	524	150	289

EFP9500X/A



Dimensions

	width	height	depth
Duct diameter	125		
Product (mm)	898	175	300

EFP6500X/A



Dimensions

	width	height	depth
Duct diameter	125		
Product (mm)	598	175	300

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

Ovens

IOI™ CONTROLS

KNOB CONTROLS

COMPACT

CAPACITY IN LITRES

FINGERPRINT RESISTANT STAINLESS STEEL

MAXI STEAM

COMBI STEAM

NUMBER OF PYROLYTIC FUNCTIONS

COMBINATION GRILL AND MICROWAVE

NUMBER OF DOOR PANELS

TOUCH CONTROLS

SPLIT GRILL SYSTEM

DEFROST

TWIN FAN SYSTEM

Cooktops

NUMBER OF BURNERS

ELECTRONIC IGNITION

LASER ETCHED GRAPHICS

FLAME FAILURE SAFETY DEVICE

DUAL VALVE BURNERS

TOUCH AND SLIDE CONTROLS

POWER BOOST

STOP & GO

TIMER

NUMBER OF ZONES

VARIABLE ZONE

CHILD LOCK

CHEF MODE

HALO LIGHTING

Rangehoods

NOISE LEVEL IN DECIBELS

TOUCH CONTROLS

DISHWASHER SAFE FILTERS

HALOGEN LIGHTS

NO. OF FAN SPEEDS

INDOOR/ OUTDOOR

LED LIGHTING

electrolux top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

delivery
The purchase of a new appliance is an exciting experience. Electrolux customers can, for an additional charge, choose to have their new appliance delivered by our experienced staff. This service, at the customer's option, includes the removal and recycling of packaging materials and even the old appliance if necessary. Delivery is available in Adelaide, Brisbane, Melbourne, Perth and Sydney. It may not be available in some rural locations.

home service
Home Service is provided for repairs to appliances by trained technicians. For repairs to appliances that are outside the manufacturer's warranty period and to which no statutory guarantee or warranty applies, a service fee is payable. Home Service is available Australia-wide.

spare parts
Home Service and Spare Parts can be contacted by phone using our toll free national numbers 13 13 49 Service and 13 13 50 Spare Parts or visit our website at electrolux.com.au

customer care
For more information on Electrolux products, please call our Customer Care team on 1300 363 640 or visit our website, electrolux.com.au

warranty
Electrolux Home Products warrants that for domestic or equivalent applications the Electrolux products featured in this brochure are free from defects in materials and workmanship for 2 years. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased. An additional 3 year warranty is also provided for domestic applications only to cover replacement of parts only for the sealed refrigeration system.

†product information
The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Competition and Consumer Act 2010.

The Inspiration Range. Developed for professionals, now adapted for you.

For more details visit us at
electrolux.com.au

Electrolux Home Products

Australia

telephone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: electrolux.com.au

New Zealand

telephone: 0800 436 245
fax: 0800 225 088
email: customercare@electrolux.co.nz
web: electrolux.co.nz

We invite you to follow Electrolux and get involved in the conversation:

thinkingofyou.com.au

facebook.com/electroluxaustralia

The Thoughtful Design Innovator.

Do you remember the last time you opened a gift that made you say "Oh! How did you know? That's exactly what I wanted!" That's the kind of feeling that the designers at Electrolux seek to evoke in everyone who chooses or uses one of our products. We devote time, knowledge, and a great deal of thought to anticipating and creating the kind of appliances that our customers really need and want.

This kind of thoughtful care means innovating with insight. Not design for design's sake, but design for the user's sake. For us, thoughtful design means making appliances easier to use and tasks more enjoyable to perform, freeing our customers to experience that ultimate 21st century luxury, ease of mind. Our aim is to make this ease of mind more available to more people in more parts of their everyday lives, all over the world. So when we say we're thinking of you, you know we mean just that.

The "Thinking of you" promise from Electrolux goes beyond meeting the needs of today's consumers. It also means we're committed to making appliances safe for the environment —now and for future generations.

Electrolux. Thinking of you.

Share more of our thinking at electrolux.com.au or electrolux.co.nz

© 2015 Electrolux Home Products Pty Ltd
ABN 51 004 762 341

Printed on Monza Satin Recycled Art stock containing 55% recycled material & 45% from sustainable forests.

EBRO_INSCook_Aug15

© 2015 Electrolux (NZ) Limited
Company Number 36212

This document is printed on an environmentally responsible paper, produced using Elemental Chorine Free (ECF), FSC® Certified, Mixed Source pulp from Responsible Sources, and manufactured under the strict ISO14001 Environmental Management System.